






Item	Part Number	Description	Qty
1	COM-A05	Walking Beam, 54" Spread	1
1.1	COM-057	Alignment Ring	2
1.2	HEN 22282-000L	Bushing, Walking Beam Center	1
1.3	ANS U3082-42	Walking Beam Axle Seat Casting 1991	2
1.4	ANS U3082-43	Walking Beam Trunnion Cap Casting 2001	2
1.5	BCR R275	Bushing, WB 4.5" x 3.5" x 7.75"	2
2	HEN 58795-000	Bearing Block Cap	2
3	PFS FW81ZD	Washer, Flat, 1", GD8, Zinc Dipped	4
4	PFS CSH8C1-4	Capscrew, Hex 1" UNC x 4", GD8, Plated	4
5	TWD UB1x5x11.5	U-Bolt, Round Top, 1" x 5" x 11.5"	4
6	UB W85	Washer, U-Bolt, 1"	8
7	PFS RHND8F1	Nut, Deep, GD8 1" UNF (U-Bolt)	8




Item	Part Number	Description	Qty
1	IMT F22T775NWA-23610E-511IMT23-77	Axle, D22, 77.5" Track, 3/4" Wall	1
2	CON 105776	Hub Aluminum 10-Stud ABS Ready	2
3	MOT 89996B	Centrifuge Brake Drum	2
4	ACC 29644 ANP	Wheel Aluminum Machined 22.5 x 8.25	4
5	TWD HD WEP 060000	Flange Wheel Nut 33mm	20



ITEM #	QTY.	PART NUMBER	DESCRIPTION
24	2	105106	LOCK WASHER, SPINDLE 3/4x2
23	2	105107	INNER JAM NUT LOCK WASHER
22	2	103102-001	OUTER JAM NUT
21	2	103103-002	AXLE JAM NUT
20	2	ABSD225	ABS SENSOR BRACKET
19	2	210177	AIR CHAMBER BRACKET
18	1	999-234-007-HDXLH	CAM ENCLOSURE ASSY HALDEX RH
17	1	999-234-007-HDXLH	CAM ENCLOSURE ASSY HALDEX LH
16	2	214104	RETAINING RING
15	2	403105	CAMSHAFT RETAINING WASHER
14	1	202102-324-RH	CAMSHAFT 1.6,5 23 3/4, R.H.
13	1	202102-324-LH	CAMSHAFT 1.6,5 23 3/4, L.H.
12	4	203501	ANCHOR PIN
11	2	208104	RETRACT SPRING
10	2	408101	SPIDER SEAL
9	2	403107	CAMSHAFT SPACER WASHER
8	2	407102	GREASE FITTING .45"
7	4	208502	RETAINER SPRING
6	4	207100	RETURN SPRING RETAINER
5	4	204101-001	CAM ROLLER
4	4	214103	ROLLER RETAINER
3	4	601511-XXXXXX	BRAKE SHOE C/W LINING, 1.6,5 x 7
2	2	3PR16-4A	BRAKE SPIDERS (WELD ON)
1	1	P20H750	AXLE BEAM


[illegible]



Reyco 21B Series Trailer Suspension - Part Numbers

Item	Part Number	Description	Qty / Axle
1	REY 09832-01	Front Hanger, L.H. / R.H.	2
2	REY 08595-01	Rear Hanger, L.H. / R.H.	2
3	-	-	-
4	-	-	-
5	REY 08677	Top Plate	2
6	STA TRA2270	Spring 8-Leaf 42 in., 11000 lbs.	2
7	REY T-5544	Cap Screw, 1/2" x 4 3/4"	2
8	REY T-1704	Nut, 1/2"	2
9	REY T1705	Washer, Lock, 1/2"	2
10	REY T-2106	Spring Roller	2
11	REY 09730-01	Axle Seat - 5 in. Round x 3/4 in. High	2
	REY9-2350	Reyco Torque Arm Bolt Assembly	2
12	- REY T-5492	Torque Arm Bolt, 1" x 6" x 3/4"	4
13	- REY T-5495	Lock Nut, 1"	4
14	- REY T-2224	Compression Washer - Torque Arm	8
15	REY T-5493	Torque Arm Bushing	8
16	REY T-7635	Torque Arm Assembly - Front Rigid (Curb-Side)	1
17	STA UBK34-3-135RD	U-Bolt Kit Reyco 3/4 in. x 3 in. x 13 1/2 in.	2
18	-	-	-
19	REY 15172-01	Torque Arm Assembly - Front Adjustable (Road-Side)	1
20	0538-00	Bottom Plate - 5" Round	2

Picture shown may not resemble all models.



Wingless, weld-on frame
bracket with QUIK-ALIGN®

Hendrickson Suspension HT250 (Under-Slung Style)

ITEM	DESCRIPTION	PART NO.	QTY. PER SUSP.	NOTE
1	BEAM ASSEMBLY			
	Standard			
	Roadside	S-24186-1	1	All models except steer axles
	Curbside	S-24186-2	1	All models except steer axles
	Steer (Not Shown)			
	Roadside	S-29303-1	1	Steer axles only
	Curbside	S-29303-2	1	Steer axles only
2	FRAME BRACKET¹			See L1266 Frame Bracket Parts List
3	FRAME BRACKET C-CHANNEL	A-1631-19	1	All models
4	TRI-FUNCTIONAL® II BUSHING KIT²	S-24691	2	Includes bushing, bushing tube spacers, round head bolt, prevailing torque hex nut, hardened washers and lube
5	BUSHING TUBE SPACER	S-21099	4	All models
6	QUIK-ALIGN® PIVOT BOLT KIT	S-24679	2	Includes round head bolt, hardened washers and prevailing torque hex nut
7	ALIGNMENT COLLARS			
	7a Eccentric	S-20925	2	Alignment hole is off center
	7b Concentric	S-20924	2	Alignment hole is centered
8	BUSHING TUBE SPACER KIT	S-26369	2	Includes round head bolt, hardened washers, prevailing torque hex nut and bushing tube spacers
9	U-BOLT KIT			
	9a 19.5" or Larger Tires	S-21140/4	4	Includes (1) stepped U-bolt and hardware; axle spacer is not needed
	9b 17.5" Tires	S-22894/4	4	Includes (1) flattened U-bolt and hardware; axle spacer is needed with flattened U-bolt
10	AXLE SPACER	S-20701	4	Axle spacer is not needed with stepped U-Bolt. For use with flattened U-bolt only. Must order with 9b.




1. Other options exist. Contact Hendrickson for assistance.

2. Bushing tool S-21307 is required to correctly re-bush the suspension.

NOTE: Identification tag can be found on the front of the roadside frame bracket or the inside of the curbside beam.

Hendrickson Suspension HT250 (Under-Slung Style)

Picture shown may not resemble all models.



11 & 12 SHOCK ABSORBERS AND SHOCK STRAP KITS					
DESCRIPTION		SHOCK PART NO. (11)	QTY PER SUSP.	SHOCK STRAP KIT NO. (12) ³	QTY PER SUSP.
a	Standard Shock Mount				
	Standard Travel				
	3.5" to 4" RH	S-23548	2	C-23086-11	1
	5.5" to 6.5" RH	S-23650	2	C-23086-3	1
	7.5" to 14" RH	S-23649	2	C-23086-5	1
	Standard Travel - High Damping				
	5.5" to 6.5" RH	S-23744	2	C-23086-10	1
	7.5" to 14" RH	S-23743	2	C-23086-5	1
	Limited Jounce				
	6.5" to 12" RH	S-23649	2	C-23086-5	1
	Limited Jounce - High Damping				
	6.5" to 12" RH	S-23743	2	C-23086-5	1
	Extended Rebound				
	6.5" RH	S-23651	2	C-23086-4	1
	Extended Rebound - High Damping				
	6.5" RH	S-24579	2	C-23086-8	1
b	Remote Shock Mount ⁴				
	Standard Travel				
	5.5" to 6.5" RH	S-23650	2	S-14587-9	1
	7.5" to 9" RH	S-23649	2	S-14587-10	1
	12" to 14" RH	S-2212	2	S-14587-3	1
	Standard Travel - High Damping				
	5.5" to 6.5" RH	S-23744	2	S-14587-11	1
	7.5" to 9" RH	S-23743	2	S-14587-10	1
	Extended Rebound				
	6.5" to 9" RH	S-2212	2	S-14587-3	1
	Extended Rebound - High Damping				
	6.5" to 9" RH	S-23316	2	S-14587-3	1
c	Angled and Frame Clearance Mounting (Not Shown)				
	Standard Travel				
	6.5", 7.5" and 14" RH	S-23651	2	N/A	1
	Standard Travel - High Damping				
	6.5", 7.5" and 14" RH	S-24579	2	N/A	1


ITEM	DESCRIPTION	PART NO.	QTY. PER SUSP.	NOTE
13	SHOCK BOLT KIT			(1) Shock bolt is required per shock
	Standard Shock Mount	S-24024	2	
	Standard Shock Mount Lower	S-23642	2	
	Standard Shock Mount Upper	S-2157/2	1	
	Remote Shock Mount	S-2157/2	2	
14	REMOTE SHOCK MOUNT			Also order shock bolt kit S-2157/2
	Upper Assembly	A-5431	2	
	Lower Assembly	S-2723	2	
15	SHOCK STRAP CLEVIS	B-20919	2	Only needed for standard shock mount Included in shock strap kit

3. Shock strap kits: includes (2) straps, (2) clevis and (4) nylon ties

4. Shock strap clevis not included and not needed for remote shock mount

NOTE: Identification tag can be found on the front of the roadside frame bracket or the inside of the curbside beam.

Picture shown may not resemble all models.



Wingless, weld-on frame
bracket with QUIK-ALIGN®


Hendrickson Suspension HT250 (Under-Slung Style)

ITEM	DESCRIPTION	PART NO.	QTY. PER SUSP.	NOTE
16	UPPER SHOCK CLEVIS (Not Shown)	S-2592	2	3.5" and 4" RH only
17	AIR SPRING MOUNTING PLATE			Air spring mounting plates fit standard and rotated mounting types
	Weld-on, Angled and Frame Clearance			
	3.5" to 14" RH	S-21209	2	
	Bolt-on			
	5.5" to 9" RH, Standard Travel	B-21211	2	
18	AIR SPRING SPACER ASSEMBLY ⁵			Air spring spacers fit standard and rotated air spring mounting types. Includes air spring plate and spacer assembly.
	18a Weld-on, Standard Travel			
	12" RH	C-21210-3	2	With 3" spacer with top plate
	14" RH	C-21210-5	2	With 5" spacer with top plate
	18b Weld-on, Limited Jounce			
	6.5" and 7.5" RH	C-21210-1	2	With 1" spacer with top plate
	9" RH	C-21210-3	2	With 3" spacer with top plate
	12" RH	C-21210-5	2	With 5" spacer with top plate. Also on frame angled and frame clearance 14" RH
	18c Bolt-on, Standard Travel			
	12" RH	C-21215-3	2	With 3.2" spacer with top plate
	14" RH	C-21215-5	2	With 5.2" spacer with top plate
	18d Bolt-on, Limited Jounce			
	6.5" and 7.5" RH	C-21215-1	2	With 1.2" spacer with top plate
	9" RH	C-21215-3	2	With 3.2" spacer with top plate
	12" RH	C-21215-5	2	With 5.2" spacer with top plate
19	AIR SPRING SPACER ⁶ (Not Shown)	B-28662	2	For steer axle configurations only
20	AIR SPRING			
	Standard Mount			
	4" RH	S-20010	2	
	3.5" and 4" RH, High Pressure	S-20223	2	
	5.5" to 14" RH	S-20127	2	
	6.5" RH, High Pressure, Short Bellows	S-20716	2	
	7.5" to 14" RH, High Pressure	S-20124	2	
	Rotated Mount			
	5.5" to 14" RH	S-20414	2	
	7.5" to 14" RH, High Pressure	S-20413	2	
21	AIR SPRING MOUNTING KIT	S-20033/2		Order 1 kit per air spring


5. Other options exist. Contact your customer service representative for specific model numbers.

6. Used on all steerable configurations except when paired with bolt-on air spring mounting plate and space assembly.

NOTE: Identification tag can be found on the front of the roadside frame bracket or the inside of the curbside beam.



Wingless, weld-on frame
bracket with QUIK-ALIGN®




Hendrickson Suspension HT300T (Top Mount Style)

ITEM	DESCRIPTION	PART NO.	QTY. PER SUSP.	FITS MODELS HT300 ? OR N-HT300 ?		
1	BEAM ASSEMBLY¹					
	Roadside	S-20186-1	1	All models		
	Curbside	S-20186-2	1	All models		
2	FRAME BRACKET					
2a	Wingless, Weld-on, Welded Alignment					
	Roadside	S-20196-1	1	-15-001	-15-005	-15-007
	Curbside	S-20196-2	1	-15-017	-15-024	-15-501
				-15-518	-15-701	
	Roadside	S-20197-1	1	-17-001	-17-005	-17-007
	Curbside	S-20197-2	1	-17-024	-17-501	-17-518
				-17-701		
	Roadside	S-20286-1	1	-15-016		
	Curbside	S-20286-2	1			
	Roadside	S-20065-1	1	-17-003	-17-012	-17-019
	Curbside	S-20065-2	1	-17-503	-17-520	
	Roadside	C-21123-1	1	-17-025		
	Curbside	C-21123-2	1			
	Roadside	S-14190-1	1	-19-001		
	Curbside	S-14190-2	1			
	Roadside	S-21454-1	1	-21-003		
	Curbside	S-21454-2	1			
	Roadside	S-21150-1	1	-23-001		
	Curbside	S-21150-2	1			
	Roadside	S-21122-1	1	-15-021	-15-025	
	Curbside	S-21122-2				
2b	Wingless, Bolt-on, QUIK-ALIGN® (Not Shown)					
	Roadside	S-23512-1	1	TB17-022		
	Curbside	S-23512-2	1			
2c	Wingless, Weld-on, QUIK-ALIGN					
	Roadside	S-23790-1	1	TB15-001	TB15-023	TB15-024
	Curbside	S-23790-2	1	TB15-027	TB15-518	
	Roadside	S-24635-1	1	TB17-001	TB17-024	
	Curbside	S-24635-2	1			
	Roadside	S-23461-1	1	TB19-007	TB19-020	
	Curbside	S-23461-2	1			
	Roadside	C-23797-1	1	TB15-016		
	Curbside	C-23797-2	1			
	Roadside	S-21592-1	1	TB16-026	TB17-003	
	Curbside	S-21592-2	1			
2d	Wingless, Bolt-on, Welded Alignment (Not Shown)					
	Roadside	S-22073-1	1	-23-002		
	Curbside	S-22073-2	1			
	Roadside	S-22281-1	1	-17-022		
	Curbside	S-22281-2	1			
	Roadside	S-20008-1	1	-17-004		
	Curbside	S-20008-2	1			
2e	Wingless, Bolt-on, QUIK-ALIGN (Not Shown)					
	Roadside	S-24220-1	1	TC15-060		
	Curbside	S-24220-2	1			
	Roadside	S-24226-1	1	TC15-061		
	Curbside	S-24226-2	1			
	Roadside	S-24222-1	1	TC17-060		
	Curbside	S-24222-2	1			



¹ Lower shock clevis (item # 13) is included with beam assembly.

NOTE: Identification tag can be found on the front of the roadside frame bracket or the inside of the curbside bear

Picture shown may not resemble all models.



Wingless, weld-on frame
bracket with QUIK-ALIGN®




Hendrickson Suspension HT300T (Top Mount Style)

ITEM	DESCRIPTION	PART NO.	QTY. PER SUSP.	FITS MODELS HT300 ? OR N-HT300 ?		
2	FRAME BRACKET (Continued)					
	2e Wingless, Bolt-on, QUIK-ALIGN® (Not Shown)					
	Roadside	S-24228-1	1	TC17-061		
	Curbside	S-24228-2	1			
	Roadside	S-24181-1	1	TC19-060	TC19-062	
	Curbside	S-24181-2	1			
	Roadside	S-24251-1	1	TC19-061	TC19-063	
	Curbside	S-24251-2	1			
	2f Winged, Bolt-on, QUIK-ALIGN					
	Roadside	S-25461-1	1	TA15-070		
	Curbside	S-25461-2	1			
	Roadside	S-25618-1	1	TA15-036		
	Curbside	S-25618-2				
	Roadside	S-25462-1	1	TA17-070		
	Curbside	S-25462-2	1			
3	FRAME BRACKET C-CHANNEL	A-1631-19	1	All models		
4	FRAME BRACKET BRACE (Not Shown)	B-2347-6	2	-21-003	-23-001	
5	TRI-FUNCTIONAL® II BUSHING KIT²					
	5a Welded Alignment	S-6914	2	Includes bushing, bushing tube spacers, cap screw, prevailing torque hex nut, liner and lube		
	5b QUIK-ALIGN	S-24691	2	Includes bushing, bushing tube spacers, round head bolt, prevailing torque hex nut, hardened washers and lube		
6	BUSHING TUBE SPACER	S-21099	4	All models		
7	PIVOT BOLT KIT					
	7a Welded Alignment	S-3646	2	Includes cap screw, prevailing torque hex nut and liner		
	7b QUIK-ALIGN	S-24679	2	Includes round head bolt, hardened washers and prevailing torque hex nut		
8	ALIGNMENT COLLARS					
	8a Welded Alignment	S-2770	4	Collars are welded to frame bracket		
	8b Eccentric, QUIK-ALIGN (outer)	S-20925	2	Alignment hole is off center		
	8c Concentric, QUIK-ALIGN (inner)	S-20924	2	Alignment hole is centered		
9	U-BOLT KIT	S-21140/4	4	Includes (1) stepped U-bolt and hardware. Axle spacer is not needed with stepped U-bolt.		
10	SHOCK ABSORBER	S-20126	2	All models except below		
		S-2160	2	-15-007	-15-011	-15-021
				-17-007	-17-011	-17-012
				TB19-007	TB19-020	
		S-21553	2	-15-017	-15-518	-17-518
				-17-520		
		S-24579	2	TB15-027		
		S-21699	2	TB15-518		

² Bushing tool S-21307 is required to correctly re-bush the suspension.

NOTE: Identification tag can be found on the front of the roadside frame bracket or the inside of the curbside beam.

Picture shown may not resemble all models.





Hendrickson Suspension HT300T (Top Mount Style)

ITEM	DESCRIPTION	PART NO.	QTY. PER SUSP.	FITS MODELS		
				HT300 ?	OR N-HT300 ?	
11	SHOCK BOLT KIT	S-20031/2	2	All models except below		
		S-20218/2	2	-15-010	-17-010	
		S-2157/2	2	-15-007	-15-011	-15-021
				-17-007	-17-011	-17-012
				TB19-007	TB19-020	
12	REMOTE SHOCK MOUNT (Not Shown)					
	12a Upper Assembly	S-2592	2	-15-007	-17-007	-17-012
				TB15-027	TB19-007	TB19-020
	12b Lower Assembly ³	S-20069	2	All models		
	12c Shock Bracket Assembly	S-38151	2	-15-011	-15-021	-17-011
				(Includes shock bracket assembly and shock clevis)		
13	LOWER SHOCK CLEVIS ³	S-20069	2	All models		
14	LOWER SHOCK BRACKET	S-2723	2	-15-007	-15-011	-15-021
				-17-007	-17-011	-17-012
				TB19-007	TB19-020	


³ Lower shock clevis is included with beam assembly (item #1).

NOTE: Identification tag can be found on the front of the roadside frame bracket or the inside of the curbside beam.

Picture shown may not resemble all models.



Wingless, weld-on frame
bracket with QUIK-ALIGN®




Hendrickson Suspension HT300T (Top Mount Style)

ITEM	DESCRIPTION	PART NO.	QTY. PER SUSP.	FITS MODELS HT300 ? OR N-HT300 ?		
15	AIR SPRING SHOCK MOUNT⁴					
	Roadside	C-20199-1	1	-15-001	-15-005	-15-016
	Curbside	C-20199-2	1	-15-017	-15-024	-15-501
				-15-518	-15-701	TB15-001
				TB15-016	TB15-024	TB15-518
	Roadside	C-20191-1	1	-17-001	-17-005	-17-017
	Curbside	C-20191-2		-17-024	-17-501	-17-518
			1	-17-701	TB17-001	TB17-024
	Roadside	C-20191-3	1	-17-002	-17-022	TA17-070
	Curbside	C-20191-4	1	TB17-022	TC17-060	TC17-061
	Roadside	C-21453-1	1	-21-003		
	Curbside	C-21453-2	1			
	Roadside	C-20188-3	1	-15-002	TA15-036	TA15-070
	Curbside	C-20188-4	1	TC15-060	TC15-061	
	Roadside	C-20195-1	1	-17-003	-17-019	-17-503
	Curbside	C-20195-2	1	-17-520	TB17-003	
	Roadside	C-20195-3		-17-004		
	Curbside	C-20195-4				
	Roadside	C-20708-1	1	-19-001		
	Curbside	C-20708-2	1			
	Roadside	C-20708-3	1	-19-004	TC19-062	TC19-063
	Curbside	C-20708-4	1			
	Roadside	C-24496-1	1	TC19-060	TC19-061	TC19-062
	Curbside	C-24496-2	1			
	Roadside	C-24595-1	1	TB16-026		
	Curbside	C-24595-2	1			
	Roadside	C-24497-1	1	TB19-020		
	Curbside	C-24497-2	1			
16	AIR SPRING SPACER ASSEMBLY⁴ (Not Shown)					
	Roadside	C-20329-1	1	T-17-007		
	Curbside	C-20329-2	1			
	Roadside	C-20309-1	1	T-17-012		
	Curbside	C-20309-2	1			
	Roadside	C-21952-1	1	TB19-007		
	Curbside	C-21952-2	1			
	Roadside and Curbside	C-21149	1 each	-23-001		
	Roadside and Curbside	C-21149-1	1 each	-23-002		
17	UPPER SHOCK BRACKET					
	Roadside	C-21797-1	1	All models except below		
	Curbside	C-21797-2	1			
	Roadside	C-24591-1		TB16-026		
	Curbside	C-24591-2				
18	AIR SPRING PLATE	C-20192	2	-15-007		
		C-20193	2	TB15-027		

⁴ Component may vary for slider suspensions based on slider box manufacturer. Contact Hendrickson for assistance.

NOTE: Identification tag can be found on the front of the roadside frame bracket or the inside of the curbside beam.

Picture shown may not resemble all models.



Hendrickson Suspension HT300T (Top Mount Style)


ITEM	DESCRIPTION	PART NO.	QTY. PER SUSP.	FITS MODELS HT300 ? OR N-HT300 ?
19	AIR SPRING	S-4771	2	All models
20	AIR SPRING MOUNTING KIT	S-4903/2	2	All models
21	UNIVERSAL HEIGHT CONTROL VALVE (Not Shown)	VS-227	1	Fits all models. Includes height control valve, exhaust line and spacer bracket.
22	UNIVERSAL LINKAGE ASSEMBLY (Not Shown)	S-14187	1 ⁵	Includes linkage assembly and hardware
23	AUTOMATIC DUMP VALVE (Not Shown)	VS-23460	1 ⁵	Includes dump valve and fittings
24	PRESSURE PROTECTION VALVE (Not Shown)	VS-1128	1 ⁵	Includes valve only

⁵ Quantities for air control components are per trailer.

NOTE: Identification tag can be found on the front of the roadside frame bracket or the inside of the curbside beam.

Picture shown may not resemble all models.

Wingless, weld-on frame
bracket, welded alignment



Hendrickson Suspension HT300U (Underslung Style)

ITEM	DESCRIPTION	PART NO.	QTY. PER SUSP.	FITS MODELS HT300 ? OR N-HT300 ?		
1	BEAM ASSEMBLY¹					
	Roadside	S-20252-1	1	All models		
	Curbside	S-20252-2	1	All models		
2	FRAME BRACKET²			See L1266 Frame Bracket Parts List		
3	FRAME BRACKET C-CHANNEL	A-1631-19	1	All models		
4	FRAME BRACKET BRACE (Not Shown)	B-2347-6	2	U-14-001	U-14-005	U-14-011
				U-14-015	U-14-021	U-14-023
				U-14-701	U-14-021	U-17-001
				U-17-011	U-17-021	U-17-024
				UB14-022		


1. QUIK-ALIGN is available on certain specs. Contact Hendrickson for assistance.

2. Options exist based on frame attachment, frame bracket style, bolt hole pattern and connection. Contact Hendrickson for assistance or refer to L1266 Frame Bracket parts list.

NOTE: Identification tag can be found on the front of the roadside frame bracket or the inside of the curbside beam.

Picture shown may not resemble all models.

Wingless, weld-on frame
bracket, welded alignment




Hendrickson Suspension HT300U (Underslung Style)

ITEM	DESCRIPTION	PART NO.	QTY. PER SUSP.	FITS MODELS HT300 U OR N-HT300 U		
5	TRI-FUNCTIONAL® II BUSHING KIT³					
	5a Welded Alignment	S-6914	2	Includes bushing, bushing tube spacers, cap screw, prevailing torque hex nut, liner and lube		
	5b QUIK-ALIGN® (Not Shown)	S-24691	2	Includes bushing, bushing tube spacers, round head bolt, prevailing torque hex nut, hardened washers and lube		
6	BUSHING TUBE SPACER	S-21099	4	All models		
7	PIVOT BOLT KIT					
	7a Welded Alignment	S-3646	2	Includes cap screw, prevailing torque hex nut and liner		
	7b QUIK-ALIGN (Not Shown)	S-24679	2	Includes round head bolt, hardened washers and prevailing torque hex nut		
8	ALIGNMENT COLLARS					
	8a Welded Alignment	S-2770	4	Collars are welded to frame bracket		
	8b Eccentric, QUIK-ALIGN (outer) (Not Shown)	S-20925	2	Alignment hole is off center		
	8c Concentric, QUIK-ALIGN (inner) (Not Shown)	S-20924	2	Alignment hole is centered		
9	U-BOLT KIT	S-3650/4	4	Includes (1) round U-bolt and hardware		
10	SHOCK ABSORBER	S-20126	2	U-7.5-001	U-7.5-501	U-9-001
				U-9-005	U-9-020	U-9-021
				U-9-022	U-9-024	U-9-501
				U-9-701	U-12-001	U-12-005
				U-14-005	U-14-020	U-14-021
				U-14-022	U-14-023	U-14-701
				U-15-011	U-17-001	U-17-020
				U-17-021	U-17-024	UB9-022
				UB14-022		
		S-21699	2	U-7.5-519	U-9-011	U-9-519
				U-12-011	U-12-015	U-14-011
				U-14-015	U-17-011	
11	SHOCK BOLT KIT	S-2157/2	2	All models		
12	SHOCK STRAP KIT (Not Shown)			Includes (4) nylon ties and (2) shock straps		
		S-14587-8	1	Use with S-20126 shock		
		S-14587-8	1	Use with S-21699 shock		
13	REMOTE SHOCK MOUNT (Not Shown)					
	13a Upper Assembly (Not Shown)					
	Roadside Suspension	C-21797-1	1	U-17-020		
	Curbside Suspension	C-21797-2	1			
	Roadside and Curbside Suspension	A-5431	2	U-9-021	U-12-020	U-14-020
	13b Lower Assembly (Not Shown)	S-2723	1	U-9-021	U-12-020	U-14-020

3. Bushing tool S-21307 is required to correctly re-bush the suspension

Picture shown may not resemble all models.

Wingless, weld-on frame
bracket, welded alignment



Hendrickson Suspension HT300U (Underslung Style)

ITEM	DESCRIPTION	PART NO.	QTY. PER SUSP.	FITS MODELS HT300 ? OR N-HT300 ?		
16	AIR SPRING SPACER ASSEMBLY			Includes air spring plate and spacer assembly		
		A-20279	2	U-12-001	U-12-005	U-12-015
				U-12-024		
		C-24967	2	U-9-020	U-14-001	U-14-005
				U-14-011	U-14-015	U-14-020
				U-14-011	UB14-022	
		C-22514	2	U-15-011		
		C-24968	2	U-17-001	U-17-011	U-17-020
				U-17-024		
		C-24969	2	U-14-023		
17	AIR SPRING PLATE	A-24966	2	U-7.5-001	U-7.5-501	U-7.5-519
				U-9-001	U-9-005	U-9-011
				U-9-021	U-9-022	U-9-024
				U-9-501	U-9-519	U-9-701
				U-12-001	U-12-005	U-12-011
				U-12-020	UB9-022	
18	AIR SPRING	S-3830	2	Fits all models. Replaces S-22173		
19	AIR SPRING MOUNTING KIT	S-1981/2	2	U-7.5-001	U-7.5-501	U-7.5-519
				U-9-001	U-9-005	U-9-011
				U-9-020	U-9-021	U-9-022
				U-9-701	U-14-001	U-14-005
				U-14-011	U-14-015	U-14-020
				U-14-021	U-14-022	U-14-023
				U-14-701	U-15-011	U-17-001
				U-17-011	U-17-020	U-17-021
				UB9-022	UB14-022	
		S-20313/2	2	U-12-001	U-12-005	U-12-011
				U-12-015	U-12-020	U-12-024
20	UNIVERSAL HEIGHT CONTROL VALVE (Not Shown)	VS-227	1 ⁴	Fits all models. Includes height control valve, exhaust line fittings and spacer bracket		
21	UNIVERSAL LINKAGE ASSEMBLY (Not Shown)	S-14187	1 ⁴	Includes linkage assembly and hardware		
22	DUMP VALVE (Not Shown)	VS-23460	1 ⁴	Includes dump valve and fittings		
23	PRESSURE PROTECTION VALVE (Not Shown)	VS-1128	1	Includes valve only		

4. Quantities for air control components are per trailer

NOTE: Identification tag can be found on the front of the roadside frame bracket or the inside of the curbside beam.